



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/981,182	10/16/2001	John M. Schnizlein	50325-0560	5410

29989 7590 11/03/2005

HICKMAN PALERMO TRUONG & BECKER, LLP
2055 GATEWAY PLACE
SUITE 550
SAN JOSE, CA 95110

EXAMINER

MOORTHY, ARAVIND K

ART UNIT PAPER NUMBER

2131

DATE MAILED: 11/03/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 09/981,182	Applicant(s) SCHNIZLEIN ET AL.	
	Examiner Aravind K. Moorthy	Art Unit 2131	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 18 August 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,3-11 and 25-27 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,3-11 and 25-27 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 16 October 2001 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. This is in response to the amendment filed on 18 August 2005.
2. Claims 1, 3-11 and 25-27 are pending in the application.
3. Claims 1, 3-11 and 25-27 have been rejected.
4. Claims 2 and 12-24 have been cancelled.

Response to Amendment

5. The examiner approves of the amendment made to the abstract. The abstract no longer exceeds the 150-word limit.

Response to Arguments

6. Applicant's arguments with respect to claims 1, 3-11 and 25-27 have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

7. Claims 1, 3-7, 9-11 and 25-27 are rejected under 35 U.S.C. 102(e) as being anticipated by Modarressi et al U.S. Patent No. 6,667,971 B1.

As to claim 1, Modarressi et al discloses a method of assigning a network address to a host based on authentication for a physical connection between the host and an intermediate device, the method comprising the computer-implemented steps of:

receiving, at the intermediate device from a first server that provides authentication and authorization, in response to a request for authentication for the physical connection, first data indicating at least some of authentication and authorization information [column 7, lines 26-45];

receiving, at the intermediate device from the host, a first message for discovering a logical network address for the host [column 8 line 66 to column 9 line 5];

generating a second message based on the first message and the first data [column 8 line 66 to column 9 line 5]; and

sending the second message to a second server that provides the logical network address for the host [column 9, lines 6-21].

wherein an authenticator process performs the step of receiving the first data [column 9 line 42 to column 10 line 18]; a relay agent process for the second server performs the steps of receiving the first message and sending the second message [column 9 line 42 to column 10 line 18]; the relay agent process is separate from the authenticator process [column 9 line 42 to column 10 line 18]; and generating the second message further

comprises the step of sending a third message, from the authenticator process to the relay agent process, based on the first data [column 9 line 42 to column 10 line 18].

As to claim 3, Modarressi et al discloses a method as recited, wherein:

step of generating the second message further comprises the steps of:

storing second data based on the first data by the authenticator process [column 9 line 42 to column 10 line 18]; and

retrieving the second data by the relay agent process in response to the step of receiving the first message [column 9 line 42 to column 10 line 18].

As to claim 4, Modarressi et al discloses that the first server is an authentication, authorization and accounting server [column 3 line 64 to column 4 line 15].

As to claim 5, Modarressi et al discloses that the first server is a RADIUS protocol server [column 3 line 64 to column 4 line 15].

As to claim 6, Modarressi et al discloses that the physical connection comprises an Ethernet interface card on the intermediated device [column 6 line 63 to column 7 line 5].

As to claim 7, Modarressi et al discloses that the physical connection comprises a wireless Ethernet encryption key and time slot [column 6 line 63 to column 7 line 5].

As to claim 9, Modarressi et al discloses that the second message is based on a dynamic host configuration protocol (DHCP) [column 9 line 42 to column 10 line 18].

As to claim 10, Modarressi et al discloses that the first data includes user class data indicating a particular group of one or more authorized users of the host [column 9 line 42 to

Art Unit: 2131

column 10 line 18]. Modarressi et al discloses that the step of generating the second message is further based on the user class data [column 9 line 42 to column 10 line 18].

As to claim 11, Modarressi et al discloses a method as recited, wherein:

the first data includes credential data indicating authentication is performed by the first server [column 9 line 42 to column 10 line 18], and

the step of generating the second message is further based on the credential data [column 9 line 42 to column 10 line 18].

As to claim 25, Modarressi et al discloses a computer-readable medium carrying one or more sequences of instructions for assigning a network address to a host based on authentication for a physical connection between the host and an intermediate device, which instructions, when executed by one or more processors, cause the one or more processors to carry out the steps of:

receiving, at the intermediate device from the host, a message for discovering a logical network address for the host [column 8 line 66 to column 9 line 5];

retrieving, from a persistent store at the intermediate device, first data indicating at least some of authentication and authorization information received from a first server that provides authentication and authorization in response to a request for authentication of the physical connection [column 9 line 42 to column 10 line 18];

generating a second message based on the first message and the first data [column 9 line 42 to column 10 line 18]; and

sending the second message to a second server that provides the logical network address for the host [column 9 line 42 to column 10 line 18];

wherein an authenticator process performs the step of receiving the first data [column 9 line 42 to column 10 line 18]; a relay agent process for the second server performs the steps of receiving the first message and sending the second message [column 9 line 42 to column 10 line 18]; the relay agent process is separate from the authenticator process [column 9 line 42 to column 10 line 18]; and generating the second message further comprises the step of sending a third message, from the authenticator process to the relay agent process, based on the first data [column 9 line 42 to column 10 line 18].

As to claim 26, Modarressi et al discloses an apparatus for assigning a network address to a host based on authentication for a physical connection between the host and an intermediate device, comprising:

means for receiving, from a first server that provides authentication and authorization, in response to a request for authentication for the physical connection, first data indicating at least some of authentication and authorization information [column 8 line 66 to column 9 line 5];

means for receiving, from the host, a first message for discovering a logical network address for the host [column 9 line 42 to column 10 line 18];

means for generating a second message based on the first message and the first data [column 9 line 42 to column 10 line 18]; and

means for sending the second message to a second server that provides the logical network address for the host [column 9 line 42 to column 10 line 18];

wherein an authenticator process performs the step of receiving the first data [column 9 line 42 to column 10 line 18]; a relay agent process for the second server performs the steps of receiving the first message and sending the second message [column 9 line 42 to column 10 line 18]; the relay agent process is separate from the authenticator process [column 9 line 42 to column 10 line 18]; and generating the second message further comprises the step of sending a third message, from the authenticator process to the relay agent process, based on the first data [column 9 line 42 to column 10 line 18].

As to claim 27, Modarressi et al discloses an apparatus for assigning a network address to a host based on authentication for a physical connection between the host and an intermediate device, comprising:

a network interface that is coupled to a data network for receiving one or more packet flows therefrom [column 6 line 63 to column 7 line 5];

a physical connection that is coupled to the host [column 6 line 63 to column 7 line 5];

a processor [column 6 line 63 to column 7 line 5];

one or more stored sequences of instructions which, when executed by the processor [column 8 line 66 to column 9 line 5], cause the processor to cant' out the steps of:

receiving, through the network interface from a first server that provides authentication and authorization, in response to a request for authentication for the physical connection, first data indicating at least some of authentication and authorization information [column 8 line 66 to column 9 line 5];

receiving, through the physical connection from the host, a first message for discovering a logical network address for the host [column 9 line 42 to column 10 line 18];

generating a second message based on the first message and the first data [column 9 line 42 to column 10 line 18]; and

sending through the network interface the second message to a second server that provides the logical network address for the host [column 9 line 42 to column 10 line 18];

wherein an authenticator process performs the step of receiving the first data [column 9 line 42 to column 10 line 18]; a relay agent process for the second server performs the steps of receiving the first message and sending the second message [column 9 line 42 to column 10 line 18]; the relay agent process is separate from the authenticator process [column 9 line 42 to column 10 line 18]; and generating the second message further comprises the step of sending a third message, from the authenticator process to the relay agent process, based on the first data [column 9 line 42 to column 10 line 18].

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

8. Claim 8 rejected under 35 U.S.C. 103(a) as being unpatentable over Modarressi et al U.S. Patent No. 6,667,971 B1 as applied to claim 1 above, and further in view of Bahl et al U.S. Patent No. 6,782,422 B1.

As to claim 8, Modarressi et al does not teach that the request for authentication is based on an Institute of Electrical and Electronics Engineers (IEEE) 802.1x standard.

Bahl et al teaches authentication based on an Institute of Electrical and Electronics Engineers (IEEE) 802.1x standard [column 11, lines 52-58].

Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified Modarressi et al so that the request for authentication was based on an Institute of Electrical and Electronics Engineers (IEEE) 802.1x standard.


It would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified Modarressi et al by the teaching of Bahl et al because that standard of protocol is more secure connection and higher level of authentication [column 11, lines 52-58].


Conclusion

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Aravind K. Moorthy whose telephone number is 571-272-3793. The examiner can normally be reached on Monday-Friday, 8:00-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ayaz R. Sheikh can be reached on 571-272-3795. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Aravind K Moorthy 
October 26, 2005


AYAZ SHEIKH
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100